

QUEST CLEAN AIR SOLVENT

SECTION 1. IDENTIFICATION

Product Identifier

QUEST CLEAN AIR SOLVENT

Other Means of Identification

1025WIP

Recommended Use

Cleaner & Degreaser.

Manufacturer

Lawrason's, Inc. 460 Wyecroft Road, Oakville, Ontario, L6K 2G7, (905) 842-8300,

www.Lawrasons.com

Supplier Identifier

Quest Metal Works/Products Ltd., 1233 Venables St. / 889 Erin Street, Vancouver / Winnipeg,

B.C. / Manitoba, V6A 3X7 / R3G 2W6, (604) 253-7771 / (204) 786-2403

Emergency Phone No. CANUTEC, 1-888-CAN-UTEC (226-8832), 613-996-6666 or *666 on a cellular phone

SDS No.

66171

Date of Preparation

February 01, 2017

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Skin corrosion - Category 1, Serious eye damage - Category 1, Skin sensitization - Category 1

Label Elements



Danger

Hazard Statement(s):

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Precautionary Statement(s):

Prevention:

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands and skin thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTRE or doctor.

IF SWALLOWED: Rinse mouth, Do NOT induce vomiting.

Immediately call a POISON CENTRE or doctor.

Product identifier:

QUEST CLEAN AIR SOLVENT

Date of Preparation:

February 01, 2017

IF ON SKIN (or hair); Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash contaminated clothing before reuse.

Immediately call a POISON CENTRE or doctor.

If skin irritation or rash occurs: Get medical advice or attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTRE or doctor.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers
Potassium hydroxide	1310-58-3	15.00-40.00	CONTRACTOR AND SECTION OF THE SECTIO
Polyphosphoric acids, potassium salts	68956-75-2	10,00-30,00	
SODIUM SILICATE	1344-09-8	7.00-13.00	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

If breathing is difficult, move person into fresh air. Keep at rest in a position comfortable for breathing. Immediately call a Poison Centre or doctor.

Skin Contact

Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse skin with water or shower. Get medical advice or attention if you feel unwell. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice or attention.

Ingestion

Rinse mouth with water. Do not induce vomiting. Get medical advice or attention if you feel unwell or are concerned.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use water spray, fog or foam.

Specific Hazards Arising from the Product

Heating increases the release of toxic vapour.

In a fire, the following hazardous materials may be generated: very toxic carbon monoxide, carbon dioxide; corrosive, oxidizing hitrogen oxides.

Special Protective Equipment and Precautions for Fire-fighters

Wear fire resistant clothing. Evacuate area. Fight fire from a safe distance or a protected location. Wear a chemical protective, full-body encapsulating suit and self-contained breathing apparatus (SCBA).

Product Identifier:

QUEST CLEAN AIR SOLVENT

Date of Preparation:

February 01, 2017

Page 02 of 06

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment.

Environmental Precautions

It is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Small spills or leaks: stop or reduce leak if safe to do so. Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal. Large spills or leaks: stop or reduce leak if safe to do so. Dike spilled product to prevent runoff. Dike and recover contaminated water for appropriate disposal. Contact emergency services and manufacturer/supplier for advice.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin or on clothing. Do not breathe in this product. Only use where there is adequate ventilation. Wash hands thoroughly after handling this material.

Conditions for Safe Storage

Store in an area that is: cool, ventilated. Store in the original, labelled, shipping container. Store in a closed container. Store at temperatures not exceeding: 10 - 45 °C.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Potassium hydroxide:	2 mg/m3		Not established	alende et amerikan der de adderde etter det etter etter de etter etter etter etter etter etter etter etter et	Not established	ven (* 1 2.44) er 30 er 1997 (
SODIUM SILICATE	Not established	enter en	Not established		Not established	
Polyphosphoric acids, potassium salts	Not established		Not established	- CONTRACT CONTRACTOR CONTRACTOR CONTRACTOR	Not established	

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Ensure that eye stations and safety showers are proximal to the work-station location. Wear chemical protective clothing e.g. gloves, aprons, boots. Wear a chemical protective, full-body encapsulating suit and self-contained breathing apparatus (SCBA).

Respiratory Protection

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Wear a NIOSH approved self-contained breathing apparatus (SCBA) or supplied air respirator.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Clear yellow liquid,

Odour Odourless
Odour Threshold Not available

Product Identifier: QUEST CLEAN AIR SOLVENT

Date of Preparation: February 01, 2017 Page: 03 of 06

pH 13,00 - 14.00

Melting Point/Freezing Point

Not available (melting)

Initial Boiling Point/Range

>= 100 °C (212 °F)

Initial Boiling Point/Range >= 100 °C (212 °F)

Flash Point > 100 °C (212 °F)

Evaporation Rate Not available Flammability (solid, gas) Not available

Upper/Lower Flammability or Not available (upper); Not available (lower)

Explosive Limit

Vapour Pressure

Vapour Density (air = 1)

Not available

Relative Density (water = 1) 1.19

Solubility Soluble in water Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition Temperature Not available

Decomposition Temperature 0 °C (32 °F)

Viscosity Not available (kinematic); Not available (dynamic)

Other Information

Physical State Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to Avoid

Freezing.

Incompatible Materials

Highly reactive or incompatible with acids. Reactive or incompatible with metals.

Hazardous Decomposition Products

Under normal conditions of storage and use will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity

The second secon					
Chemical Name	LC50	LD50 (oral)	LD50 (dermal)		
Potassium hydroxide	Not available	214-365 mg/kg (rat)	1260 mg/kg (rabbit)		
SODIUM SILICATE	Not available	Not available	Not available		
Polyphosphoric acids, potassium salts	Not available	2000 mg/kg (rat)	5000 mg/kg (rabbit)		

Skin Corrosion/Irritation

Causes severe skin burns and eye damage. Symptoms include pain, redness, and swelling.

Serious Eye Damage/Irritation

Causes serious eye damage. Symptoms include sore, red eyes, and tearing.

STOT (Specific Target Organ Toxicity) - Single Exposure

Product Identifier: QUEST CLEAN AIR SOLVENT

Date of Preparation: February 01, 2017 Page 04 of 06

Inhalation

May cause nose and throat irritation. Symptoms may include coughing, shortness of breath, difficult breathing and tightness in the chest.

Skin Absorption

Causes skin burns.

Ingestion

Harmful if swallowed. Causes digestive tract burns, Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.

Aspiration Hazard

No information was located.

Respiratory and/or Skin Sensitization

Skin sensitizer

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Potassium hydroxide	Not Listed	Not Listed	Not Listed	Not Listed
SODIUM SILICATE	Not Listed	Not Listed	Not Listed	Not Listed
Polyphosphoric acids, potassium salts	Not Listed	Not Listed	Not Listed	Not Listed

Reproductive Toxicity

Development of Offspring

Not known to harm the unborn child.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Germ Cell Mutagenicity

Not known to be a mutagen.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life.

Persistence and Degradability

Predicted not to degrade rapidly based on quantitative structure-activity relationships.

Bioaccumulative Potential

This product and its degradation products are not expected to bioaccumulate.

Mobility in Soil

Studies are not available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations. Store product for disposal as described under Storage in Section 7 of this safety data sheet. Do not reuse empty containers.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Proper Shipping Name Transport Hazard Class(es)	
Canadian TDG	1760	Corrosive liquids, N.O.S. (Potassium Hydroxide)	8	II

Environmental

Not applicable

Product identifier:

QUEST CLEAN AIR SOLVENT

Date of Preparation:

February 01, 2017

Page 05 of 06

Hazards

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

This section is not required by WHMIS.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

SECTION 16. OTHER INFORMATION

NFPA Rating

Health - 3

Flammability - 0

Instability - 0

SDS Prepared By

Technical Manager

Phone No.

905-842-8300

Date of Preparation

February 01, 2017

Date of Last Revision February 01, 2017

References

Key to Abbreviations IARC = International Agency for Research on Cancer

CHEMINFO database, Canadian Centre for Occupational Health and Safety (CCOHS).

HSDB® database, US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS). NIOSH Pocket Guide database. National Institute for Occupational Safety and Health. Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational

Health and Safety (CCOHS).

Additional Information All information is based upon our current knowledge and experience of our product and is not exhaustive. It applies to the product as defined by the specifications. In case of combinations of mixtures, one must confirm that no new hazards are likely to exist. In any case, the user is not exempt from observing all legal, administrative and regulatory procedures relating to the product, personal hygiene, and integrity of the work environment. (Unless noted to the contrary,

the technical information applies only to pure product). To our actual knowledge, the information contained herein is accurate as of the date of this document. However, neither Lawrason's, Inc. nor any of its affiliates makes any warranty, express or implied, or accepts any liability in connection with this information or its use. This information is for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. The user alone must finally

determine suitability of any information or material for any contemplated use in compliance with applicable law, the manner of use and whether any patents are infringed. This information gives typical properties only and is not to be used for specification purposes. Lawrason's Inc. reserves the right to make additions, deletions or modifications to the information at any time without prior notification.

Disclaimer

While the company believes the data set forth herein are accurate as of the date hereof, the

company makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and

verification.

Product Identifier:

QUESTICLEAN AIR SOLVENT

Date of Preparation:

February 01, 2017

Page 06 of 06

